	Application No.	Applicant(s)
Notice of Allowability	10/700,416	KURITA ET AL.
	Examiner	Art Unit
	Michael Pervan	2629
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>01 November 2007</u> .		
2. X The allowed claim(s) is/are 1,5-7,11-13,17-19 and 23-25.		
 3.		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5. Notice of Informal P	Patent Application
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summary	
_	Paper No./Mail Da	te .
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🗌 Examiner's Amendr	nenvComment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
	9.	
		•

Application/Control Number:

10/700,416 Art Unit: 2629

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1, 5-7, 11-13, 17-19 and 23-25 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

Claims 1, 7, 13 and 19 recite among other features "switching regulator means for receiving the control signal, for periodically receiving notification of the brightness of the illumination provided by said illuminating means, and for generating a DC signal based on the received control signal and the periodically received notification of the brightness of the illumination provided by said illuminating means".

The prior art disclose a switching regulator means for receiving the control signal and for generating a DC signal based on the received control signal.

However, it does not disclose a switching regulator means for receiving the control signal, for periodically receiving notification of the brightness of the illumination provided by said illuminating means, and for generating a DC signal based on the received control signal and the periodically received notification of the brightness of the illumination provided by said illuminating means.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

10/700,416 Art Unit: 2629

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Pervan whose telephone number is (571) 272-0910. The examiner can normally be reached on Monday - Friday between 8am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amr Awad can be reached on (571) 272-7764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MVP Jan. 7, 2008

AMR A. AWAD
SUPERVISORY PATENT EXAMINER

Ama Alauf from